



VITL

COMMERCIAL SURFACES



COMMERCIAL CATALOG | Edition 1




ARTE | Gray 12x24

ARTE

FLOOR & WALL | EXTERIOR WALL | GLAZED COLOR-BODY PORCELAIN | METAL LOOK




Gray | VTL AEGR




Gray | 2x2
VTL AEGR MOS22R



Gray | 9x10 Hex
VTL AEGR HEXAGON



Dark Gray | VTL AEDG



Dark Gray | 2x2
VTL AEDG MOS22R



Light Brown | VTL AELB




Light Brown | 2x2
VTL AELB MOS22R



Light Brown | 9x10 Hex
VTL AELB HEXAGON



Brown | VTL AEBR



Brown | 2x2
VTL AEBR MOS22R



White | VTL AEWH



White | 2x2
VTL AEWH MOS22R



White | 9x10 Hex
VTL AEWH HEXAGON

SIZE	FINISH
24" x 24" x 9mm Rectified	Matte
12" x 24" x 9mm Rectified	Matte
9" x 10" x 9mm Hexagon	Matte

MOSAICS & TRIM	FINISH
2" x 2" Mosaic Rectified	Matte
3" x 24" Bullnose Rectified	Matte
6" x 12" Cove Base Rectified	Matte

TECHNICAL INFORMATION



Made in USA



Stock | Ready Ship



V1 Uniform Appearance



DCOF ≥0.42



VOC Free | Green Squared

PERFORMANCE CHARACTERISTICS

Breaking Strength	≥250 lbf
Chemical Resistance	Resistant
DCOF	≥ 0.42
Deep Scratch Resistance	N/A
Frost Resistance	Resistant
Mohs Hardness	N/A
Water Absorption	≤ 0.5%
Certifications	VOC Free Green Squared

TILE APPLICATION

AREA	WALL	FLOOR
Residential	•	•
Commercial	•	•
Heavy Commercial	•	
Exterior	•	

** Not defined by ANSI Standards

* Not all sizes/trims are available in all colors and finishes, scan QR code for product details.

COMMON SEGMENTS

Corporate	Education
Government	Retail

RECOMMENDED GROUT JOINT

Rectified	1/8"
Non-Rectified	3/16"





CASCADE

FLOOR & WALL | EXTERIOR WALL | GLAZED COLOR-BODY PORCELAIN | TRAVERTINE LOOK




White | VTL CCWH



White | 2x2
VTL CCWH MOS22



White | 1x4 Herringbone
VTL CCWH HERRING




Beige | VTL CCBE



Beige | 2x2
VTL CCBE MOS22



Beige | 1x4 Herringbone
VTL CCBE HERRING




Taupe | VTL CCTA



Taupe | 2x2
VTL CCTA MOS22



Taupe | 1x4 Herringbone
VTL CCTA HERRING



Black | VTL CCBL



Black | 2x2
VTL CCBL MOS22



Black | 1x4 Herringbone
VTL CCBL HERRING

TECHNICAL INFORMATION



Made in USA



Stock | Ready Ship



V2 Slight Variation



DCOF ≥0.42

PERFORMANCE CHARACTERISTICS

Breaking Strength ≥ 400 lbs

Chemical Resistance Resistant

DCOF > 0.42

Deep Scratch Resistance N/A

Frost Resistance Resistant

Mohs Hardness N/A

Water Absorption ≤ 0.5%

Certifications N/A

TILE APPLICATION

AREA WALL FLOOR

Residential • •

Commercial • •

Heavy Commercial •

Exterior •

** Not defined by ANSI Standards

* Not all sizes/trims are available in all colors and finishes, scan QR code for product details.

SIZE

12" x 24" x 9mm Rectified

6" x 24" x 9mm Rectified

FINISH

Matte

Matte

MOSAICS & TRIM

2" x 2" Mosaic

1" x 4" Herringbone Mosaic

3" x 24" Bullnose Rectified

6" x 12" Covebase

FINISH

Matte

Matte

Matte

Matte

CASCADE | Beige 12x24





EVERETT

FLOOR & WALL | EXTERIOR WALL | GLAZED COLOR-BODY PORCELAIN | CONCRETE LOOK




White | VTL EVWH



White | 2x2
VTL EVWH MOS22



Beige | VTL EVBE



Beige | 2x2
VTL EVBE MOS22



Light Gray | VTL EVLG



Light Gray | 2x2
VTL EVLG MOS22



Dark Gray | VTL EVDG



Dark Gray | 2x2
VTL EVDG MOS22

SIZE	FINISH
24" x 47" x 9mm Rectified	Matte
24" x 24" x 9mm Rectified	Matte
12" x 24" x 9mm Rectified	Matte
6" x 24" x 9mm Rectified	Matte

MOSAICS & TRIM	FINISH
2" x 2" Mosaic	Matte
3" x 24" Bullnose Rectified	Matte
6" x 12" Covebase Rectified	Matte

TECHNICAL INFORMATION



Made in USA



Stock | Import



V2 Slight Variation



DCOF ≥0.42



HPD | LEED

PERFORMANCE CHARACTERISTICS

Breaking Strength ≥ 400 lbs

Chemical Resistance Resistant

DCOF > 0.42

Deep Scratch Resistance N/A

Frost Resistance Resistant

Mohs Hardness N/A

Water Absorption ≤ 0.5%

Certifications HPD | LEED

TILE APPLICATION

AREA	WALL	FLOOR
------	------	-------

Residential	•	•
-------------	---	---

Commercial	•	•
------------	---	---

Heavy Commercial	•	
------------------	---	--

Exterior	•	
----------	---	--

** Not defined by ANSI Standards

* Not all sizes/trims are available in all colors and finishes, scan QR code for product details.

COMMON SEGMENTS

Corporate	Education	Healthcare
-----------	-----------	------------

Multi-Family	Residential	
--------------	-------------	--

RECOMMENDED GROUT JOINT

Rectified	1/8"
-----------	------

Non-Rectified	3/16"
---------------	-------



EVERETT | Light Gray 12x24



FAIRBANKS | Brown 24x24 and Tallulah Snow 16x32 Whittle

FAIRBANKS

INTERIOR AND EXTERIOR FLOOR & WALL | PORCELAIN | SLATE LOOK



White | VTL FRWH



White | 2x2
VTL FRWH MOS22



White | Brick
VTL FRWH BRICK



Beige | VTL FRBG



Beige | 2x2
VTL FRBG MOS22



Beige | Brick
VTL FRBG BRICK



Light Gray | VTL FRLG



Light Gray | 2x2
VTL FRLG MOS22



Light Gray | Brick
VTL FRLG BRICK



Brown | VTL FRBW



Brown | 2x2
VTL FRBW MOS22



Brown | Brick
VTL FRBW BRICK



Dark Gray | VTL FRDG



Dark Gray | 2x2
VTL FRDG MOS22



Dark Gray | Brick
VTL FRDG BRICK

TECHNICAL INFORMATION

	Made in Italy
	Stock Import
	V2 Slight Variation V3 Moderate Variation
	DCOF ≥0.42
	ISO 9001 ISO 14001 ISO 45001

PERFORMANCE CHARACTERISTICS

Breaking Strength	≥1300N - ≥3000N
Chemical Resistance	Resistant
DCOF	> 0.42
Deep Scratch Resistance	≤ 145 mm3
Frost Resistance	Resistant
Mohs Hardness	N/A
Water Absorption	≤ 0.1%
Certifications	LEED

TILE APPLICATION

AREA	WALL	FLOOR
Residential	•	•
Commercial	•	•
Heavy Commercial	•	
Exterior	•	•
** Not defined by ANSI Standards		

* Not all sizes/trims are available in all colors and finishes, scan QR code for product details.

SIZE

SIZE	FINISH
24" x 47" x 9mm Rectified	Matte
24" x 47" x 9mm Grip Rectified	Bush-Hammered
24" x 47" x 20mm Textured Rectified	Bush-Hammered
24" x 36" x 20mm Textured Rectified	Bush-Hammered
32" x 32" x 20mm Textured Rectified	Bush-Hammered
24" x 24" x 9mm Rectified	Matte
24" x 24" x 20mm Textured Rectified	Bush-Hammered
16" x 24" x 9mm Rectified	Matte
12" x 24" x 9mm Rectified	Matte
12" x 24" x 8mm Out	Bush-Hammered
8" x 24" x 9mm Rectified	Matte
4" x 24" x 9mm Rectified	Matte
Kit Module 1 Textured Rectified 20mm	Bush-Hammered
Kit Module 2 Textured Rectified 20mm	Bush-Hammered
Kit Module 3 Textured Rectified 20mm	Bush-Hammered
Kit Module 4 Textured Rectified 20mm	Bush-Hammered

MOSAICS & TRIM

MOSAICS & TRIM	FINISH
12" x 16" Brick Mosaic	Matte
2" x 2" Mosaic	Matte
3" x 24" Bullnose	Matte
13" x 47" Scalino	Matte
13" x 47" Scalino Grip	Bush-Hammered
13" x 24" Scalino	Matte
13" x 13" Scalino Angolare	Matte
6" x 12" Elemento L Out	Bush-Hammered

COMMON SEGMENTS

Healthcare	Senior Living	Multi-Family
Religious	Residential	


















RECOMMENDED GROUT JOINT

Rectified	1/8"
Non-Rectified	3/16"



GALWAY | Floor

FLOOR & WALL | GLAZED COLOR-BODY PORCELAIN | CONCRETE LOOK

 Oyster VTL GWOY	 Oyster 2x2 VTL GWOY MOS22	 Oyster Geometric VTL GWOY GEOMETRIC	 Lace VTL GWLA	 Lace 2x2 VTL GWLA MOS22	 Lave Geometric VTL GWLA GEOMETRIC	 Lace & Olive Hex VTL GWLX HEX	
 Brick VTL GWBC	 Brick 2x2 VTL GWBC MOS22	 Brick Geometric VTL GWBC GEOMETRIC	 Ecru VTL GWEC	 Ecru 2x2 VTL GWEC MOS22	 Ecru Geometric VTL GWEC GEOMETRIC	 Ecru Hex VTL GWEX HEX	
 Mink VTL GWMI	 Mink 2x2 VTL GWMI MOS22	 Mink Geometric VTL GWMI GEOMETRIC	 Stone VTL GWST	 Stone 2x2 VTL GWST MOS22	 Stone Geometric VTL GWST GEOMETRIC	 Stone Hex VTL GWSX HEX	
 Dove VTL GWDO	 Dove 2x2 VTL GWDO MOS22	 Dove Geometric VTL GWDO GEOMETRIC	 Dark Grey VTL GWDG	 Dark Grey 2x2 VTL GWDG MOS22	 Dark Grey Geometric VTL GWDG GEOMETRIC	 Dark Grey & Yellow Hex VTL GWGY HEX	 Dark Grey & Black Hex VTL GWGB HEX
 Caviar VTL GWCA	 Caviar 2x2 VTL GWCA MOS22	 Caviar Geometric VTL GWCA GEOMETRIC	 Black VTL GWBK	 Black 2x2 VTL GWBK MOS22	 Black Geometric VTL GWBK GEOMETRIC	 Black & Turquoise Hex VTL GWBT HEX	 Black Hex VTL GWBX HEX



GALWAY | Gray 24x48

SIZE	FINISH
47" x 110" x 6mm Slab Rectified	Matte
63" x 63" x 6mm Slab Rectified	Matte
47" x 95" x 9mm Slab Rectified	Matte
47" x 47" x 20mm	Bush-Hammered
47" x 47" x 9mm Slab Rectified	Matte
47" x 47" x 9mm Slab Grip Rect	Bush-Hammered
47" x 47" x 6mm Slab Rect	Matte
30" x 59" x 9mm Rectified	Matte
30" x 30" x 9mm Rectified	Matte
24" x 48" x 9mm Rectified	Matte
24" x 24" x 9mm Rectified	Matte
12" x 24" x 9mm Rectified	Matte

MOSAICS & TRIM	FINISH
12" x 13" Geometric Mosaic	Matte
10" x 11" Hexagon Mosaic	Matte
2" x 2" Mosaic	Matte
13" x 59" Step	Matte
13" x 47" Step	Satin Semi-Matte
13" x 47" Elemento L Grip	Satin Semi-Matte
13" x 24" Step	
13" x 13" Corner Step	Satin Semi-Matte
12" x 24" Stair Tread	Matte
3" x 24" Bullnose Rectified	Matte
2" x 24" Digitale Bullnose Rectified	Matte
3" x 12" Right Bullnose	Matte
3" x 12" Bullnose Left Corner	Matte

TECHNICAL INFORMATION

	Made in Italy
	Stock Import
	V2 Slight Variation
	DCOF ≥0.42
	LEED, EPD, PEF, FDES, HPE, UPEC

PERFORMANCE CHARACTERISTICS

Breaking Strength	≥1500 N
Chemical Resistance	N/A
DCOF	> 0.42
Deep Scratch Resistance	≤150mm3
Frost Resistance	Resistant
Mohs Hardness	N/A
Water Absorption	≤0.1%
Certifications	LEED, EPD, PEF, FDES, HPE, UPEC

TILE APPLICATION

AREA	WALL	FLOOR
Residential	•	•
Commercial	•	•
Heavy Commercial	•	
Exterior		
** Not defined by ANSI Standards		

COMMON SEGMENTS

Corporate	Education	Government
Hospitality	Restaurant	

RECOMMENDED GROUT JOINT

Rectified	1/8"
Non-Rectified	3/16"

* Not all sizes/trimms are available in all colors and finishes, scan QR code for product details.




GALWAY | Wall

WALL | GLAZED CERAMIC & GLAZED COLOR-BODY PORCELAIN | CONCRETE LOOK



Lace | VTL GWLA SCULPTR



Lace Mix | Minibrick
VTL GWLX MINIBRICK



Oyster | VTL GWOY SCULPTR



Oyster | Minibrick
VTL GWOY MINIBRICK



Brick | VTL GWBC SCULPTR



Brick Mix | Minibrick
VTL GWBM MINIBRICK



Mink | VTL GWMI SCULPTR



Mink | Minibrick
VTL GWMI MINIBRICK



Dove | VTL GWDO SCULPTR



Dove | Minibrick
VTL GWDO MINIBRICK




Blue | VTL GWBL SCULPTR



Blue Mix | Minibrick
VTL GWBL MINIBRICK



Curry | VTL GWCU 1632R



Curry Mix | Minibrick
VTL GWCX MINIBRICK



Blue | VTL GWBL 1632R



Dark Grey | Minibrick
VTL GWDG MINIBRICK




Pine | VTL GWPI 1632R



Pine | Minibrick
VTL GWPI MINIBRICK



Scarlet | VTL GWSC 1632R



Scarlet | Minibrick
VTL GWSC MINIBRICK



Palm Deco A | VTL GWPA 47110AR



Palm Deco B | VTL GWPA 47110BR



GALWAY | Mink Sculpt 3D 16x32

TECHNICAL INFORMATION



Made in Italy



Stock | Import



V2 Slight Variation



LEED, EPD, PEF, FDES, HPE, UPEC

PERFORMANCE CHARACTERISTICS

Breaking Strength	≥600 N
Chemical Resistance	A
DCOF	N/A
Deep Scratch Resistance	N/A
Frost Resistance	N/A
Mohs Hardness	N/A
Water Absorption	10%<EV≤20%
Certifications	LEED, EPD, PEF, FDES, HPE, UPEC

TILE APPLICATION

AREA	WALL	FLOOR
Residential	•	
Commercial	•	
Heavy Commercial	•	
Exterior		
** Not defined by ANSI Standards		

* Not all sizes/trimms are available in all colors and finishes, scan QR code for product details.

SIZE

SIZE	FINISH
16" x 32" x 8.5mm Rectified Wall	Matte
16" x 32" x 10mm Sculpt 3D Deco Rect	Matte
47" x 110" x 6mm Decorative A Rect	Matte
47" x 110" x 6mm Decorative B Rect	Matte

MOSAICS & TRIM

MOSAICS & TRIM	FINISH
1" x 3" Minibrick Mosaic	Matte
0.625" x 16" Corner	Matte
0.625" x 16" 3D Corner	Matte
0.625" x 0.625" Corner A.E	Matte

COMMON SEGMENTS

Corporate	Education	Government
Hospitality	Restaurant	

RECOMMENDED GROUT JOINT

















Rectified	1/8"
Non-Rectified	3/16"





KARLSTAD

INTERIOR AND EXTERIOR FLOOR & WALL | PORCELAIN | TERRAZZO LOOK

 White Solid VTL KSWH 1224SR	 White Gravel VTL KSWH 1224GR	 White Pebble VTL KSWH 1224PR	 White Stone VTL KSWH 1224STR
 Light Gray Solid VTL KSLG 1224SR	 Light Gray Gravel VTL KSLG 1224GR	 Light Gray Pebble VTL KSLG 1224PR	 Light Gray Stone VTL KSLG 1224STR
 Gray Solid VTL KSGR 1224SR	 Gray Gravel VTL KSGR 1224GR	 Gray Pebble VTL KSGR 1224PR	 Gray Stone VTL KSGR 1224STR
 Blue Solid VTL KSBL 1224SR	 Blue Gravel VTL KSBL 1224GR	 Blue Pebble VTL KSBL 1224PR	 Blue Stone VTL KSBL 1224STR
 Green Solid VTL KSGE 1224SR	 Green Gravel VTL KSGE 1224GR	 Green Pebble VTL KSGE 1224PR	 Green Stone VTL KSGE 1224STR
 Pink Solid VTL KSPI 1224SR	 Pink Gravel VTL KSPI 1224GR	 Pink Pebble VTL KSPI 1224PR	 Pink Stone VTL KSPI 1224STR

SIZE	FINISH
24" x 47" x 9.5mm Rectified	Matte
24" x 47" x 20mm Rectified	Bush-Hammered
24" x 47" x 9.5mm Gravel Rectified	Matte
24" x 47" x 9.5mm Pebble Rectified	Matte
24" x 47" x 9.5mm Stone Rectified	Matte
24" x 47" x 9.5mm Tecnica Rectified	Bush-Hammered
35" x 35" x 9.5mm Rectified	Matte
35" x 35" x 9.5mm Gravel Rectified	Matte
24" x 24" x 9.5mm Rectified	Matte
24" x 24" x 9.5mm Gravel Rectified	Matte
24" x 24" x 9.5mm Pebble Rectified	Matte
24" x 24" x 9.5mm Stone Rectified	Matte
12" x 24" x 9.5mm Rectified	Matte
12" x 24" x 9.5mm Gravel Rectified	Matte
12" x 24" x 9.5mm Pebble Rectified	Matte
12" x 24" x 9.5mm Stone Rectified	Matte

MOSAICS & TRIM	FINISH
1" x 1" Mosaic	Matte
3" x 24" Bullnose Matt Rectified	Matte
2" x 35" Bullnose Rectified	Matte
13" x 47" Step Rectified	Matte
13" x 47" Stair Tread Rectified	Matte
13" x 47" Right Corner Rectified	Matte
13" x 47" Left Corner Rectified	Matte

TECHNICAL INFORMATION

	Made in Italy
	Import
	V3 Moderate Variation
	DCOF ≥0.42
	Mindful Materials Greengard QB UPEC

PERFORMANCE CHARACTERISTICS

Thickness	9.5mm	20mm
Breaking Strength	≥ 2000N	> 12000N
Chemical Resistance	A-LA-HA	A-LA-HA
DCOF	≥ 0.50	≥ 0.65
Deep Scratch Resistance	N/A	N/A
Frost Resistance	Resistant	Resistant
Mohs Hardness	N/A	N/A
Water Absorption	≤ 0.5%	≤ 0.5%
Certifications	Mindful Materials Greengard QB UPEC	

TILE APPLICATION

AREA	WALL	FLOOR
Residential	•	•
Commercial	•	•
Heavy Commercial	•	
Exterior	•	•
** Not defined by ANSI Standards		

COMMON SEGMENTS

Corporate	Education
Hospitality	Restaurant

RECOMMENDED GROUT JOINT

Rectified 1/8"	Non-Rectified 3/16"
------------------	-----------------------

* Not all sizes/trims are available in all colors and finishes.
Scan QR code for product details.




KARLSTAD | Blue Gravel 24x24 | Blue Solid 24x47 | Blue Pebble 24x47 | White Stone 24x47

LOTUS

FLOOR & WALL | EXTERIOR WALL | PORCELAIN | MARBLE LOOK



White | VTL LTWH



Ivory | VTL LTIV



Pink | VTL LTPN




Gold | VTL LTGL



Silver | VTL LTSL



Gray | VTL LTGR



Black | VTL LTBL




White | Hexagon
VTL LTWH ESAGONOH



Ivory | Hexagon
VTL LTIV ESAGONOH




Pink | Hexagon
VTL LTPN ESAGONOH




Gold | Hexagon
VTL LTGL ESAGONOH



Silver | Hexagon
VTL LTSL ESAGONOH




Gray | Hexagon
VTL LTGR ESAGONOH



Black | Hexagon
VTL LTBL ESAGONOH



White | 4x4 Brass
VTL LTWH MOS44



Ivory | 4x4 Brass
VTL LTIV MOS44




Pink | 4x4 Brass
VTL LTPN MOS44




Gold | 4x4 Brass
VTL LTGL MOS44




Silver | 4x4 Brass
VTL LTSL MOS44



Gray | 4x4 Brass
VTL LTGR MOS44




Black | 4x4 Brass
VTL LTBL MOS44




White | 1x1
VTL LTWH MOS11



Ivory | 1x1
VTL LTIV MOS11




Pink | 1x1
VTL LTPN MOS11



Gold | 1x1
VTL LTGL MOS11



Silver | 1x1
VTL LTSL MOS11



Gray | 1x1
VTL LTGR MOS11



Black | 1x1
VTL LTBL MOS11



LOTUS | Ivory 48x48 and Gray 48x110



LOTUS | White 48x48

SIZE	FINISH
48" x 110" x 6mm Slab Rectified	Polished
48" x 48" x 9mm Slab Rectified	Polished
24" x 48" x 9mm Rectified	Polished

MOSAICS & TRIM	FINISH
11" x 13" Hexagon Mosaic	Polished
4" x 4" Brass Mosaic	Polished
1" x 1" Mosaic	Polished
3" x 24" Bullnose	Polished
13" x 48" Step Tread	Polished
13" x 13" Step Tread Corner	Polished

TECHNICAL INFORMATION

	Made in Italy
	Import
	V2 Slight V3 Moderate Variation
	DCOF ≥ 0.42
	ISO 9001 ISO 14001 ISO 45001

PERFORMANCE CHARACTERISTICS

Breaking Strength	N/A
Chemical Resistance	Resistant
DCOF	N/A
Deep Scratch Resistance	N/A
Frost Resistance	Resistant
Mohs Hardness	5
Water Absorption	Resistant
Certifications	ISO 9001 ISO 14001 ISO 45001

TILE APPLICATION

AREA	WALL	FLOOR
Residential	•	•
Commercial	•	•
Heavy Commercial	•	
Exterior	•	
** Not defined by ANSI Standards		

COMMON SEGMENTS

Hospitality	Multi-Family
Residential	Restaurant

RECOMMENDED GROUT JOINT

Rectified	1/8"
Non-Rectified	3/16"

* Not all sizes/trimms are available in all colors and finishes, scan QR code for product details.





MIDWAY | White 4x8 Urban Mix

MIDWAY

FLOOR & WALL | EXTERIOR WALL | GLAZED COLOR-BODY PORCELAIN | BRICK LOOK



White | 4x8
VTL MWWH 48



White | 4x8 Urban Mix
VTL MWWH URBAMIX48



White | 9x11 Hexagon
VTL MWWH HEX



White | 3x3 Mosaic
VTL MWWH MOS33



Red | 4x8
VTL MWRE 48




Red | 4x8 Urban Mix
VTL MWRE URBAMIX48



Red | 9x11 Hexagon
VTL MWRE HEX



Red | 3x3 Mosaic
VTL MWRE MOS33



Brown | 4x8
VTL MWBR 48




Brown | 4x8 Urban Mix
VTL MWBR URBAMIX48



Brown | 9x11 Hexagon
VTL MWBR HEX



Brown | 3x3 Mosaic
VTL MWBR MOS33



Taupe | 4x8
VTL MWTA 48



Taupe | 4x8 Urban Mix
VTL MWTA URBAMIX48



Taupe | 9x11 Hexagon
VTL MWTA HEX



Taupe | 3x3 Mosaic
VTL MWTA MOS33

TECHNICAL INFORMATION

	Made in Italy
	Stock Import
	V4 Substantial Variation
	DCOF ≥ 0.60

PERFORMANCE CHARACTERISTICS

Breaking Strength	≥ 1300 N
Chemical Resistance	A
DCOF	> 0.60
Deep Scratch Resistance	N/A
Frost Resistance	Resistant
Mohs Hardness	N/A
Water Absorption	$\leq 0.5\%$
Certifications	N/A

TILE APPLICATION

AREA	WALL	FLOOR
Residential	•	•
Commercial	•	•
Heavy Commercial	•	
Exterior	•	
** Not defined by ANSI Standards		

* Not all sizes/trims are available in all colors and finishes, scan QR code for product details.

SIZE FINISH

9" x 11" x 10.5mm Hexagon	Matte
4" x 8" x 10.5mm	Matte

MOSAICS & TRIM FINISH

3" x 3" Mosaic	Matte
4" x 8" Urban Mix Decorative	Matte
3" x 16" Bullnose	Matte
4" x 16" Stair Tread	Matte

COMMON SEGMENTS

Corporate	Multi-Family
Residential	Retail

RECOMMENDED GROUT JOINT

Rectified	1/8"
Non-Rectified	3/16"





MIDTOWN | Sage 3x12

MIDTOWN

FLOOR & WALL | EXTERIOR WALL | UNGLAZED THROUGH-BODY PORCELAIN | SOLID LOOK



Cream | VTL MICR



Blush | VTL MIBL



Dove | VTL MIDO



Sky | VTL MISK



Steel | VTL MIST



Sage | VTL MISA



Anthracite | VTL MIAN



Clay | VTL MICL

SIZE

3" x 12" x 8mm

FINISH

Matte

TECHNICAL INFORMATION



Made in Portugal



Import



V3 Moderate Variation

PERFORMANCE CHARACTERISTICS

Breaking Strength	≥ 30Nmm2
Chemical Resistance	A-HA
DCOF	N/A
Deep Scratch Resistance	N/A
Frost Resistance	Resistant
Mohs Hardness	7
Water Absorption	≤ 0.5%
Certifications	Greenguard

TILE APPLICATION

AREA	WALL	FLOOR
Residential	•	•
Commercial	•	•
Heavy Commercial	•	
Exterior	•	
** Not defined by ANSI Standards		

* Not all sizes/trims are available in all colors and finishes, scan QR code for product details.

COMMON SEGMENTS

Corporate	Government	Hospitality
Multi-Family	Restaurant	

RECOMMENDED GROUT JOINT

Rectified	1/8"
Non-Rectified	3/16"



MINKE

FLOOR & WALL | EXTERIOR WALL | GLAZED PORCELAIN | WOOD LOOK

Grey | VTL MKGR

White | VTL MKWH

Sand | VTL MKSA

Tan | VTL MKTA

Brown | VTL MKBR

Black | VTL MKBL

Grey | Bacchette
VTL MKGR BACCHETTE

White | Bacchette
VTL MKWH BACCHETTE

Sand | Bacchette
VTL MKSA BACCHETTE

Tan | Bacchette
VTL MKTA BACCHETTE

Brown | Bacchette
VTL MKBR BACCHETTE

Black | Bacchette
VTL MKBL BACCHETTE

Grey | Intarsio
VTL MKGR 2424IR

White | Intarsio
VTL MKWH 2424IR

Sand | Intarsio
VTL MKSA 2424IR

Tan | Intarsio
VTL MKTA 2424IR

Brown | Intarsio
VTL MKBR 2424IR

Black | Intarsio
VTL MKBL 2424IR

Grey | Intarsio Textured
VTL MKGR 2424IT

White | Intarsio Textured
VTL MKWH 2424IT

Sand | Intarsio Textured
VTL MKSA 2424IT

Tan | Intarsio Textured
VTL MKTA 2424IT

Brown | Intarsio Textured
VTL MKBR 2424IT

Black | Intarsio Textured
VTL MKBL 2424IT

Grey | Intreccio
VTL MKGR INTRECCIO

Grey | Losanga
VTL MKGR LOSANGA

White | Intreccio
VTL MKWH INTRECCIO

White | Losanga
VTL MKWH LOSANGA

Sand | Intreccio
VTL MKSA INTRECCIO

Sand | Losanga
VTL MKSA LOSANGA

Tan | Intreccio
VTL MKTA INTRECCIO

Tan | Losanga
VTL MKTA LOSANGA

Brown | Intreccio
VTL MKBR INTRECCIO

Brown | Losanga
VTL MKBR LOSANGA

Black | Intreccio
VTL MKBL INTRECCIO

Black | Losanga
VTL MKBL LOSANGA



MINKE | Brown Intarsio Deco 24x24 Matte and Textured and White 12x24

SIZE	FINISH
48" x 48" x 10mm Slab Rectified	Matte
24" x 48" x 10mm Rectified	Matte
24" x 24" x 10mm Rectified	Matte
12" x 48" x 10mm Rectified	Matte
12" x 24" x 10mm Rectified	Matte
9" x 11" x 10mm Hexagon	Matte

MOSAICS & TRIM	FINISH
48" x 48" Intarsio Deco Slab Rectified	Matte
24" x 24" Intarsio Deco. Rectified	Matte
24" x 24" Intarsio Deco. Textured Rectified	Matte
12" x 24" Intarsio Deco. Textured Rectified	Matte
12" x 24" Bacchette Mosaic	Matte
12" x 12" Intreccio Mosaic	Matte
12" x 12" Losanga Mosaic	Matte
3" x 24" Bullnose Rectified	Matte
12" x 48" Costa Retta Rectified	Matte

TECHNICAL INFORMATION

- Made in Italy
- Stock | Import
- V1 Uniform Appearance
- DCOF ≥ 0.42

PERFORMANCE CHARACTERISTICS

Breaking Strength	$\geq 1300N$
Chemical Resistance	A-LA-HA
DCOF	>0.42
Deep Scratch Resistance	N/A
Frost Resistance	Resistant
Mohs Hardness	N/A
Water Absorption	$\leq 0.1\%$
Certifications	N/A

TILE APPLICATION

AREA	WALL	FLOOR
Residential	•	•
Commercial	•	•
Heavy Commercial	•	
Exterior	•	
** Not defined by ANSI Standards		

* Not all sizes/trims are available in all colors and finishes, scan QR code for product details.

COMMON SEGMENTS

Corporate	Healthcare	Multi-Family
Residential	Senior Living	

RECOMMENDED GROUT JOINT

Rectified	1/8"
Non-Rectified	3/16"



MOOD

WALL | GLAZED CERAMIC | ZELLIGE LOOK



White | 5x5
VTL MOWH 55




White | 3x5
VTL MOWH 255



White | 4x6 Diamond
VTL MOWH DIAMOND



Mink | 5x5
VTL MOMK 55



Mink | 3x5
VTL MOMK 255



Mink | 4x6 Diamond
VTL MOMK DIAMOND



Rose | 5x5
VTL MORO 55



Rose | 3x5
VTL MORO 255



Rose | 4x6 Diamond
VTL MORO DIAMOND




Turquoise | 5x5
VTL MOTU 55




Turquoise | 3x5
VTL MOTU 255



Turquoise | 4x6 Diamond
VTL MOTU DIAMOND



Wine | 5x5
VTL MOWI 55



Wine | 3x5
VTL MOWI 255



Wine | 4x6 Diamond
VTL MOWI DIAMOND



Denim | 5x5
VTL MODE 55




Denim | 3x5
VTL MODE 255



Denim | 4x6 Diamond
VTL MODE DIAMOND




Avocado | 5x5
VTL MOAV 55



Avocado | 3x5
VTL MOAV 255



Avocado | 4x6 Diamond
VTL MOAV DIAMOND




Cobalt | 5x5
VTL MOCO 55



Cobalt | 3x5
VTL MOCO 255



Cobalt | 4x6 Diamond
VTL MOCO DIAMOND



Midnight | 5x5
VTL MOMI 55



Midnight | 3x5
VTL MOMI 255



Midnight | 4x6 Diamond
VTL MOMI DIAMOND



SIZE

5" x 5" x 9mm
4" x 6" x 9mm Diamond
3" x 5" x 9mm

FINISH

Gloss
Gloss
Gloss

TECHNICAL INFORMATION

- Made in Portugal
- Import
- V4 Substantial Variation

PERFORMANCE CHARACTERISTICS

Breaking Strength	≥ 13 N/mm2
Chemical Resistance	A-LA
DCOF	N/A
Deep Scratch Resistance	N/A
Frost Resistance	N/A
Mohs Hardness	N/A
Water Absorption	0.15
Certifications	N/A

TILE APPLICATION

AREA	WALL	FLOOR
Residential	•	
Commercial	•	
Heavy Commercial	•	
Exterior		
** Not defined by ANSI Standards		

COMMON SEGMENTS

Corporate	Education	Hospitality
Multi-Family	Restaurant	

RECOMMENDED GROUT JOINT

Rectified	1/8"
Non-Rectified	3/16"

* Not all sizes/trims are available in all colors and finishes, scan QR code for product details.





NORRIS | White 24x48

NORRIS

FLOOR & WALL | EXTERIOR WALL | GLAZED COLOR-BODY PORCELAIN | TRAVERTINE LOOK



White | VTL NOWH



White | 3x8 Brick
VTL NOWH BRICK



White | 2x2
VTL NOWH MOS22




Beige | VTL NOBE



Beige | 3x8 Brick
VTL NOBE BRICK



Beige | 2x2
VTL NOBE MOS22



Gray | VTL NOGR



Gray | 3x8 Brick
VTL NOGR BRICK



Gray | 2x2
VTL NOGR MOS22



Black | VTL NOBL



Black | 3x8 Brick
VTL NOBL BRICK



Black | 2x2
VTL NOBL MOS22

TECHNICAL INFORMATION



Made in USA



Stock | Ready Ship



V2 Slight Variation



DCOF ≥0.42

PERFORMANCE CHARACTERISTICS

Breaking Strength ≥ 400 lbs

Chemical Resistance Resistant

DCOF > 0.42

Deep Scratch Resistance N/A

Frost Resistance Resistant

Mohs Hardness N/A

Water Absorption ≤ 0.5%

Certifications N/A

TILE APPLICATION

AREA	WALL	FLOOR
Residential	•	•
Commercial	•	•
Heavy Commercial	•	
Exterior	•	

** Not defined by ANSI Standards

* Not all sizes/trims are available in all colors and finishes, scan QR code for product details.

SIZE

24" x 47" x 9mm Rectified

24" x 24" x 9mm Rectified

12" x 24" x 9mm Rectified

FINISH

Matte

Matte

Matte

MOSAICS & TRIM

3" x 8" Brick Mosaic

2" x 2" Mosaic

3" x 24" Bullnose Rectified

6" x 12" Covebase Rectified

FINISH

Matte

Matte

Matte

Matte

COMMON SEGMENTS

Corporate	Education	Healthcare
Hospitality	Multi-Family	

RECOMMENDED GROUT JOINT

Rectified	1/8"
Non-Rectified	3/16"




OPTIX | Floor & Wall


FLOOR & WALL | EXTERIOR WALL | GLAZED COLOR-BODY PORCELAIN | CONCRETE LOOK




White | VTL OIWH



White | 2x2
VTL OIWH MOS22




White | Angle
VTL OIWH MOSANGL



Dawn | VTL OIDA



Dawn | 2x2
VTL OIDA MOS22




Dawn | Angle
VTL OIDA MOSANGL




Wafer | VTL OIWA



Wafer | 2x2
VTL OIWA MOS22



Wafer | Angle
VTL OIWA MOSANGL




Gray | VTL OIGY



Gray | 2x2
VTL OIGY MOS22



Gray | Angle
VTL OIGY MOSANGL




Olive | VTL OIOL



Olive | 2x2
VTL OIOL MOS22



Olive | Angle
VTL OIOL MOSANGL




Black | VTL OIBL



Black | 2x2
VTL OIBL MOS22



Black | Angle
VTL OIBL MOSANGL



Ocean | 47x110 Rectified (3 Patterns)
VTL OIOC 47110XL



Forest | 47x110 Rectified (2 Patterns)
VTL OIFO 47110XL



OPTIX | Black 24x24, White 24x47, Forest 47x110 and Teal Arrow Mosaic

SIZE	FINISH
24" x 47" x 9mm Rectified	Matte
24" x 24" x 9mm Rectified	Matte
24" x 24" x 9mm	Silk
12" x 24" x 9mm Rectified	Matte Silk
47" x 110" x 6mm Pattern Rectified	Matte

MOSAICS & TRIM	FINISH
12" x 14" Angle Mosaic	Matte Silk
2" x 2" Mosaic	Matte
3" x 24" Bullnose	Matte Silk
13" x 47" Scalino	Matte Silk
13" x 47" Elemento L Grip	Bush-Hammered
13" x 24" Scalino	Matte Silk
12" x 24" Gradino	Matte Silk
13" x 13" Scalino Angolare	Matte Silk
3" x 12" Bullnose Left & Right Sagomato	Silk
3" x 12" Sagomato Left & Right	Matte
1" x 47" Corner	Matte



TECHNICAL INFORMATION

	Made in Italy
	Stock Import
	V2 Slight Variation
	DCOF ≥0.42
	LEED, EPD, PEF, FDES, HPE, UPEC

PERFORMANCE CHARACTERISTICS

Breaking Strength	≥1500 N
Chemical Resistance	A
DCOF	>0.42
Deep Scratch Resistance	≤ 150mm3
Frost Resistance	Resistant
Mohs Hardness	N/A
Water Absorption	≤0.1%
Certifications	LEED, EPD, PEF, FDES, HPE, UPEC

TILE APPLICATION

AREA	WALL	FLOOR
Residential	•	•
Commercial	•	•
Heavy Commercial	•	
Exterior	•	
** Not defined by ANSI Standards		

COMMON SEGMENTS

Healthcare	Hospitality
Restaurant	Senior Living

RECOMMENDED GROUT JOINT

























Rectified	1/8"
Non-Rectified	3/16"

* Not all sizes/trims are available in all colors and finishes, scan QR code for product details.



OPTIX | Wall

WALL | GLAZED CERAMIC | CONCRETE LOOK

 Black VTL OIBL 2047R	 Black 5/8x5/8 VTL OIBL MOSMINI	 Black Arrow VTL OIBL MOSARROW	 Dawn VTL OIDA 2047R	 Dawn 5/8x5/8 VTL OIDA MOSMINI	 Dawn Arrow VTL OIDA MOSARROW	
 Olive VTL OIOL 2047R	 Olive 5/8x5/8 VTL OIOL MOSMINI	 Olive Arrow VTL OIOL MOSARROW	 Wafer VTL OIWA 2047R	 Wafer 5/8x5/8 VTL OIWA MOSMINI	 Wafer Arrow VTL OIWA MOSARROW	
 Brown VTL OIBR 2047R	 Brown 5/8x5/8 VTL OIBR MOSMINI	 Brown Arrow VTL OIBR MOSARROW	 White VTL OIWH 2047R	 White 5/8x5/8 VTL OIWH MOSMINI	 White Arrow VTL OIWH MOSARROW	 White Illusion VTL OIWH ILLUSION
 Red VTL OIRE 2047R	 Red 5/8x5/8 VTL OIRE MOSMINI	 Red Arrow VTL OIRE MOSARROW	 Pink VTL OIPI 2047R	 Pink 5/8x5/8 VTL OIPI MOSMINI	 Pink Arrow VTL OIPI MOSARROW	 Pink Illusion VTL OIPI ILLUSION
 Green VTL OIGR 2047R	 Green 5/8x5/8 VTL OIGR MOSMINI	 Green Arrow VTL OIGR MOSARROW	 Teal VTL OITE 2047R	 Teal 5/8x5/8 VTL OITE MOSMINI	 Teal Arrow VTL OITE MOSARROW	 Teal Illusion VTL OITE ILLUSION
 Blue VTL OIBU 2047R	 Blue 5/8x5/8 VTL OIBU MOSMINI	 Blue Arrow VTL OIBU MOSARROW	 Juniper VTL OIJU 2047R	 Juniper 5/8x5/8 VTL OIJU MOSMINI	 Juniper Arrow VTL OIJU MOSARROW	 Juniper Illusion VTL OIJU ILLUSION
 Ocean VTL OIOC 2047R	 Forest VTL OIFO 2047R		 Circles VTL OICI 2047R		 Rose Gold VTL OIRG 2047R	



OPTIX | Forest 47x110 and Teal Arrow Mosaic



TECHNICAL INFORMATION

	Made in Italy
	Stock Import
	V2 Slight Variation
	EPD, PEF, FDES, HPD

PERFORMANCE CHARACTERISTICS

Breaking Strength	≥1500 N
Chemical Resistance	A
DCOF	>0.42
Deep Scratch Resistance	≤ 150mm3
Frost Resistance	Resistant
Mohs Hardness	N/A
Water Absorption	≤0.1%
Certifications	EPD, PEF, FDES, HPD

TILE APPLICATION

AREA	WALL	FLOOR
Residential	•	
Commercial	•	
Heavy Commercial	•	
Exterior		
** Not defined by ANSI Standards		

COMMON SEGMENTS

Healthcare	Hospitality
Restaurant	Senior Living

RECOMMENDED GROUT JOINT

Rectified	1/8"
Non-Rectified	3/16"

* Not all sizes/trims are available in all colors and finishes, scan QR code for product details.






PARKETTE | Sienna Flash 6x6

PARKETTE

INTERIOR AND EXTERIOR FLOOR & WALL | QUARRY | TERRACOTTA LOOK



Stone | VTL PAST



Gray | VTL PAGR



Silver Flash | VTL PASV



Smoke | VTL PASM



Smoke Tread | VTL PASM



Ash Flash | VTL PAAS



Burnt | VTL PABU



Red | VTL PARD



Chestnut | VTL PACH




Chestnut Tread | VTL PACH



Sienna Flash | VTL PASI



Autumn | VTL PAAU



Mahogany | VTL PAMA

SIZE	FINISH
8" x 8" x 12.7mm	Matte
8" x 8" x 12.7mm Abrasive	Matte
6" x 6" x 12.7mm	Matte
6" x 6" x 12.7mm Abrasive	Matte
6" x 6" x 12.7mm Tread	Matte

MOSAICS & TRIM	FINISH
8" x 8" Bullnose	Matte
8" x 8" Bullnose Out Corner	Matte
6" x 6" Bullnose	Matte
6" x 6" Bullnose Abrasive	Matte
6" x 6" Bullnose Corner	Matte
6" x 6" Bullnose Out Corner	Matte
6" x 6" Cove Base	Matte
5" x 8" Cove Base	Matte
5" x 6" Cove Base Out Corner	Matte
5" x 6" Round Top Cove Base	Matte
5" x 6" Round Top Cove Base Corner Right	Matte
5" x 6" Round Top Cove Base Corner Left	Matte
1" x 6" Cove Base Incorner	Matte
1" x 6" Cove Base Outcorner	Matte
1" x 5" Cove Base Inside Corner	Matte

TECHNICAL INFORMATION



Made in USA



Stock | Ready Ship



V3 Moderate Variation



V4 Substantial Variation



Matte | DCOF ≥ 0.42 - ≥ 0.60
Abrasive & Tread | DCOF ≥ 0.65

PERFORMANCE CHARACTERISTICS

Breaking Strength

Chemical Resistance

DCOF

Deep Scratch Resistance

Frost Resistance

Mohs Hardness

Water Absorption

Certifications

TILE APPLICATION

AREA

WALL

FLOOR

Residential

•

Commercial

Heavy Commercial

Exterior

** Not defined by ANSI Standards

* Not all sizes/trims are available in all colors and finishes, scan QR code for product details.

COMMON SEGMENTS

Corporate

Education

Hospitality

Restaurant

RECOMMENDED GROUT JOINT

Rectified

1/8"

Non-Rectified

3/16"





PURITY

FLOOR & WALL | EXTERIOR WALL | COLOR-BODY PORCELAIN | MARBLE LOOK



Elegance | VTL PTEL




Elegance | 2x2
VTL PTEL MOS22



Elegance | Hex
VTL PTEL HEX




Sublime | VTL PTSB



Sublime | 2x2
VTL PTSB MOS22



Sublime | Hex
VTL PTSB HEX



Grandeur | VTL PTGR




Grandeur | 2x2
VTL PTGR MOS22



Grandeur | Hex
VTL PTGR HEX



Refinement | VTL PTRF



Refinement | 2x2
VTL PTRF MOS22



Refinement | Hex
VTL PTRF HEX



Royal | VTL PTRY



Royal | 2x2
VTL PTRY MOS22



Royal | Hex
VTL PTRY HEX



Majesty | VTL PTMJ



Majesty | 2x2
VTL PTMJ MOS22



Majesty | Hex
VTL PTMJ HEX

SIZE	FINISH
48" x 110" x 6mm Rectified	Matte Polished
48" x 110" x 6mm Bookmatch A Rectified	Polished
48" x 110" x 6mm Bookmatch B Rectified	Polished
48" x 48" x 10mm Rectified	Matte Polished
32" x 96" x 12mm Pre-Fab 12mm Slab	Matte
24" x 48" x 8mm Rectified	Polished
12" x 24" x 10mm Rectified	Matte Polished
3" x 12"x 10mm	Polished

MOSAICS & TRIM	FINISH
2" x 2" Mosaic	Matte Polished
2" x 2" Hexagon Mosaic	Matte Polished
3" x 12" Bullnose	Matte Polished

TECHNICAL INFORMATION



Made in USA



Stock | Ready Ship



DCOF ≥0.42

PERFORMANCE CHARACTERISTICS

Thickness	8mm 10mm 12mm	6mm
Breaking Strength	≥300 lbf	≥250 lbf
Chemical Resistance	Resistant	Resistant
DCOF	≥0.42	≥0.42
Deep Scratch Resistance	N/A	N/A
Frost Resistance	Resistant	Resistant
Mohs Hardness	N/A	N/A
Water Absorption	≤ 0.4%	≤ 0.4%
Certifications	N/A	N/A

TILE APPLICATION

AREA	WALL	FLOOR
Residential	•	•
Commercial	•	•
Heavy Commercial	•	
Exterior	•	
** Not defined by ANSI Standards		

* Not all sizes/trimms are available in all colors and finishes, scan QR code for product details.

COMMON SEGMENTS

Corporate	Government	Multi-Family
Residential	Retail	

RECOMMENDED GROUT JOINT

Rectified	1/8"
Non-Rectified	3/16"



PURITY | Elegance 48x48 and Royal 48x110




REMINGTON

INTERIOR AND EXTERIOR FLOOR & WALL | PORCELAIN | METAL LOOK



White | VTL RMWH




White Metal 3D | VTL RMWH MRID



White | 2x2
VTL RMWH MOS22



Light Gray | VTL RMLG



Light Gray Metal 3D | VTL RMLG MRID



Light Gray | 2x2
VTL RMLG MOS22



Dark Gray | VTL RMDG




Dark Gray Metal 3D | VTL RMDG MRID



Dark Gray | 2x2
VTL RMDG MOS22



Black | VTL RMBK



Black Metal 3D | VTL RMBK MRID



Black | 2x2
VTL RMBK MOS22

SIZE	FINISH
47" x 109" x 6.5mm Slab Rectified	Matte
24" x 47" x 9.5mm Rectified	Matte
12" x 24" x 9.5mm Rectified	Matte

MOSAICS & TRIM	FINISH
2" x 2" Mosaic	Matte
24" x 47" Metal 3D Deco Rectified	Matte
12" x 24" Metal 3D Deco Rectified	Matte
3" x 24" Bullnose Rectified	Matte
13" x 47" Step Rectified	Matte
13" x 47" Stair Tread Rectified	Matte
13" x 47" Left Corner Rectified	Matte
13" x 47" Right Corner Rectified	Matte

TECHNICAL INFORMATION



Made in Italy



Stock | Import



V3 Moderate Variation



DCOF ≥ 0.42



Greenguard

PERFORMANCE CHARACTERISTICS

Breaking Strength ≥ 2000 N

Chemical Resistance A-LA-HA

DCOF ≥ 0.42

Deep Scratch Resistance N/A

Frost Resistance Resistant

Mohs Hardness N/A

Water Absorption $\leq 0.5\%$

Certifications Greenguard

TILE APPLICATION

AREA	WALL	FLOOR
Residential	•	•
Commercial	•	•
Heavy Commercial	•	
Exterior	•	•

** Not defined by ANSI Standards

* Not all sizes/trims are available in all colors and finishes, scan QR code for product details.

COMMON SEGMENTS

Corporate	Government
Multi-Family	Residential

RECOMMENDED GROUT JOINT

Rectified	1/8"
Non-Rectified	3/16"



REMINGTON | Light Gray 24x47 and 24x47 Metal 3D Deco, and Opal 2x9




REMINGTON | Brick

FLOOR & WALL | EXTERIOR WALL | PORCELAIN | METAL LOOK



Opal | VTL RMOP




Moonstone | VTL RMMO



Sapphire | VTL RMSA



Emerald | VTL RMEM



Onyx | VTL RMON

SIZE	FINISH
2" x 9" Glossy	Gloss

MOSAICS & TRIM	FINISH
2" x 9" Bullnose Glossy	Gloss

TECHNICAL INFORMATION

	Made in Italy
	Stock Import
	V3 Moderate Variation
	Greenguard

PERFORMANCE CHARACTERISTICS

Breaking Strength	≥ 2000 N
Chemical Resistance	A-LA-HA
DCOF	N/A
Deep Scratch Resistance	N/A
Frost Resistance	Resistant
Mohs Hardness	N/A
Water Absorption	≤ 0.5%
Certifications	Greenguard

TILE APPLICATION

AREA	WALL	FLOOR
Residential	•	•
Commercial	•	•
Heavy Commercial	•	
Exterior	•	
** Not defined by ANSI Standards		

COMMON SEGMENTS

Corporate	Government
Multi-Family	Residential

RECOMMENDED GROUT JOINT

Rectified	1/8"
Non-Rectified	3/16"

* Not all sizes/trims are available in all colors and finishes, scan QR code for product details.



REMINGTON | Dark Gray 47x109 and Emerald 2x9



REN

FLOOR & WALL | GLAZED COLOR-BODY PORCELAIN | SLATE LOOK



Light Grey | VTL RNLG



Light Grey | 6" Hex
VTL RNLG MOS6HEX



Light Grey | 2" Hex
VTL RNLG MOS2HEX




Light Grey | 2x2
VTL RNLG MOS22



Taupe | VTL RNTA



Taupe | 6" Hex
VTL RNTA MOS6HEX



Taupe | 2" Hex
VTL RNTA MOS2HEX



Taupe | 2x2
VTL RNTA MOS22




Medium Grey | VTL RNMG




Medium Grey | 6" Hex
VTL RNMG MOS6HEX



Medium Grey | 2" Hex
VTL RNMG MOS2HEX




Medium Grey | 2x2
VTL RNMG MOS22




Dark Grey | VTL RNDG



Dark Grey | 6" Hex
VTL RNDG MOS6HEX



Dark Grey | 2" Hex
VTL RNDG MOS2HEX



Dark Grey | 2x2
VTL RNDG MOS22

SIZE	FINISH
24" x 47" x 10.3mm Rectified	Matte
32" x 32" x 11.5mm Rectified	Matte
12" x 24" x 8.4mm Rectified	Matte

MOSAICS & TRIM	FINISH
6" x 6" Hex Mosaics	Matte
2" x 2" Mosaics	Matte
2" x 2" Hex Mosaics	Matte
3" x 24" Bullnose	Matte

TECHNICAL INFORMATION



Made in Turkey



Stock | Ready Ship



V2 Slight Variation



DCOF ≥0.42



EPD

PERFORMANCE CHARACTERISTICS

Breaking Strength	>1750
Chemical Resistance	N/A
DCOF	>0.42
Deep Scratch Resistance	N/A
Frost Resistance	Resistant
Mohs Hardness	9
Water Absorption	N/A
Certifications	EPD

TILE APPLICATION

AREA	WALL	FLOOR
Residential	•	•
Commercial	•	•
Heavy Commercial	•	
Exterior		
** Not defined by ANSI Standards		

* Not all sizes/trims are available in all colors and finishes, scan QR code for product details.

COMMON SEGMENTS

Automotive	Corporate
Government	Healthcare

RECOMMENDED GROUT JOINT

Rectified	1/8"
Non-Rectified	3/16"



REN | Taupe 32x32 and 6" Hex Mosaic



SCENIC

FLOOR & WALL | EXTERIOR WALL | GLAZED COLOR-BODY PORCELAIN | LIMESTONE LOOK



White | VTL SBWH



White | 2x2
VTL SBWH MOS22



Beige | VTL SBBE



Beige | 2x2
VTL SBBE MOS22



Grey | VTL SBGR



Grey | 2x2
VTL SBGR MOS22



Charcoal | VTL SBCH



Charcoal | 2x2
VTL SBCH MOS22

SIZE	FINISH
24" x 48" x 9mm Rectified	Matte
24" x 24" x 9mm Rectified	Matte
12" x 24" x 9mm Rectified	Matte
6" x 24" x 9mm Rectified	Matte

MOSAICS & TRIM	FINISH
2" x 2" Mosaic	Matte
3" x 24" Bullnose Rectified	Matte
6" x 12" Covebase Rectified	Matte

TECHNICAL INFORMATION



Made in USA



Stock | Ready Ship



V2 Slight Variation



DCOF ≥0.42

PERFORMANCE CHARACTERISTICS

Breaking Strength ≥ 400 lbs

Chemical Resistance Resistant

DCOF > 0.42

Deep Scratch Resistance N/A

Frost Resistance Resistant

Mohs Hardness N/A

Water Absorption ≤ 0.5%

Certifications N/A

TILE APPLICATION

AREA	WALL	FLOOR
------	------	-------

Residential	•	•
-------------	---	---

Commercial	•	•
------------	---	---

Heavy Commercial	•	
------------------	---	--

Exterior	•	
----------	---	--

** Not defined by ANSI Standards

* Not all sizes/trims are available in all colors and finishes, scan QR code for product details.

COMMON SEGMENTS

Corporate	Education
-----------	-----------

Government	Healthcare
------------	------------

RECOMMENDED GROUT JOINT

Rectified	1/8"
-----------	------

Non-Rectified	3/16"
---------------	-------



SCENIC | Charcoal 12x24



SLASH

FLOOR & WALL | EXTERIOR WALL | GLAZED PORCELAIN | WOOD LOOK



Natural | VTL SHNT



Natural Score | VTL SHNT SCORE



Beige | VTL SHBG



Beige Score | VTL SHBG SCORE



Medium Brown | VTL SHMB



Medium Brown Score | VTL SHMB SCORE




Dark Brown | VTL SHDB



Dark Brown Score | VTL SHDB SCORE



Taupe | VTL SHTP



Taupe Score | VTL SHTP SCORE



Natural Arch | VTL SHNT ARCH



Natural Plank 3D | VTL SHNT 3DPLANK



Beige Arch | VTL SHBG ARCH



Beige Plank 3D | VTL SHBG 3DPLANK



Medium Brown Arch | VTL SHMB ARCH



Medium Brown Plank 3D | VTL SHMB 3DPLANK



Dark Brown Arch | VTL SHDB ARCH



Dark Brown Plank 3D | VTL SHDB 3DPLANK



Taupe Arch | VTL SHTP ARCH



Taupe Plank 3D | VTL SHTP 3DPLANK



Natural Chevron | VTL SHNT CHEV848R



Beige Chevron | VTL SHBG CHEV848R



Beige Chevron | VTL SHBG CHEV318



Medium Brown Chevron | VTL SHMB CHEV848R



Medium Brown Chevron | VTL SHMB CHEV318



Dark Brown Chevron | VTL SHDB CHEV848R



Taupe Chevron | VTL SHTP CHEV848R



Taupe Chevron | VTL SHTP CHEV318

TECHNICAL INFORMATION



Made in Italy



Stock | Import



V2 Slight Variation



DCOF ≥0.42

PERFORMANCE CHARACTERISTICS

Finish	Bush-Hammered	Matte
Breaking Strength	> 10000 N	≥ 1300N
Chemical Resistance	Resistant	Resistant
DCOF	> 0.55	> 0.42
Deep Scratch Resistance	N/A	N/A
Frost Resistance	Resistant	Resistant
Mohs Hardness	N/A	N/A
Water Absorption	≤ 0.1%	≤ 0.1%
Certifications	N/A	N/A

TILE APPLICATION

AREA	WALL	FLOOR
Residential	•	•
Commercial	•	•
Heavy Commercial	•	
Exterior	•	
** Not defined by ANSI Standards		

* Not all sizes/trims are available in all colors and finishes, scan QR code for product details.

SIZE

12" x 48" x 20mm Textured Rectified	Bush-Hammered
24" x 24" x 20mm Textured Rectified	Bush-Hammered
8" x 48" x 9mm Rectified	Matte
8" x 48" x 9mm Arch Rectified	Matte
8" x 48" x 9mm Chevron Rectified	Matte
8" x 48" x 9mm Grip Rectified	Bush-Hammered
3" x 18" x 9mm Chevron	Matte

FINISH

MOSAICS & TRIM

12" x 48" Plank Decorative Rectified	Matte
8" x 48" Score Decorative Rectified	Matte
8" x 48" Plank 3D Decorative Rectified	Matte
3" x 24" Bullnose	Matte






















FINISH

SLASH | Dark Brown 8x48 Arch and Natural 8x48 3D Plank



SPOTLIGHT

FLOOR & WALL | EXTERIOR WALL | GLAZED PORCELAIN | CONCRETE LOOK

 Linen Matte VTL SGLI M	 Linen Bush-Hammered VTL SGLI BH	 Linen Chiseled VTL SGLI C	 Linen 2x2 Matte VTL SGLI MOS22M	 Linen 2x2 Bush-Hammered VTL SGLI MOS22BH	 Beige Matte VTL SGBE M	 Beige Bush-Hammered VTL SGBE BH	 Beige Chiseled VTL SGBE C	 Beige 2x2 Matte VTL SGBE MOS22M	 Beige 2x2 Bush-Hammered VTL SGBE MOS22BH
 Wheat Matte VTL SGWH M	 Wheat Bush-Hammered VTL SGWH BH	 Wheat Chiseled VTL SGWH C	 Wheat 2x2 Matte VTL SGWH MOS22M	 Wheat 2x2 Bush-Hammered VTL SGWH MOS22BH	 Moss Matte VTL SGMO M	 Moss Bush-Hammered VTL SGMO BH	 Moss Chiseled VTL SGMO C	 Moss 2x2 Matte VTL SGMO MOS22M	 Moss 2x2 Bush-Hammered VTL SGMO MOS22BH
 Light Grey Matte VTL SGLG M	 Light Grey Bush-Hammered VTL SGLG BH	 Light Grey Chiseled VTL SGLG C	 Light Grey 2x2 Matte VTL SGLG MOS22M	 Light Grey 2x2 Bush-Hammered VTL SGLG MOS22BH	 Storm Cloud Matte VTL SGSC M	 Storm Cloud Bush-Hammered VTL SGSC BH	 Storm Cloud Chiseled VTL SGSC C	 Storm Cloud 2x2 Matte VTL SGSC MOS22M	 Storm Cloud 2x2 Bush-Hammered VTL SGSC MOS22BH
 Dark Grey Matte VTL SGD G M	 Dark Grey Bush-Hammered VTL SGD G BH	 Dark Grey Chiseled VTL SGD G C	 Dark Grey 2x2 Matte VTL SGD G MOS22M	 Dark Grey 2x2 Bush-Hammered VTL SGD G MOS22BH	 Atlantic Matte VTL SGAT M	 Atlantic Bush-Hammered VTL SGAT BH	 Atlantic Chiseled VTL SGAT C	 Atlantic 2x2 Matte VTL SGAT MOS22M	 Atlantic 2x2 Bush-Hammered VTL SGAT MOS22BH
 Anthracite Matte VTL SGAN M	 Anthracite Bush-Hammered VTL SGAN BH	 Anthracite Chiseled VTL SGAN C	 Anthracite 2x2 Matte VTL SGAN MOS22M	 Anthracite 2x2 Bush-Hammered VTL SGAN MOS22BH					



SPOTLIGHT | Wheat 24x24 and Beige 12x24 Chiseled

SIZE	FINISH
24" x 48" x 10mm Rectified	Matte
24" x 48" x 10mm Chiseled Rectified	Matte
24" x 48" x 10mm Raw Rectified	Matte
24" x 24" x 10mm Rectified	Matte
24" x 24" x 10mm Bush Hammered Rect.	Matte
12" x 24" x 10mm Rectified	Matte
12" x 24" x 10mm Bush Hammered Rect.	Matte
12" x 24" x 10mm Chiseled Rectified	Matte
12" x 12" x 10mm Rectified	Matte
12" x 12" x 10mm Bush Hammered Rect.	Matte

MOSAICS & TRIM	FINISH
2" x 2" Mosaic	Matte
2" x 2" Mosaic Bush Hammered	Matte
3" x 12" Bullnose	Matte
6" x 12" Cove Base	Matte

TECHNICAL INFORMATION



Made in USA



Stock | Ready Ship



DCOF ≥0.42



Burreau Veritas | Greenguard
LEED | Green Squared

PERFORMANCE CHARACTERISTICS

Breaking Strength ≥400 lb/ft2

Chemical Resistance Resistant

DCOF ≥0.42

Deep Scratch Resistance N/A

Frost Resistance Resistant

Mohs Hardness N/A

Water Absorption ≤0.4%

Certifications Burreau Veritas | Greenguard
LEED | Green Squared

TILE APPLICATION

AREA WALL FLOOR

Residential • •

Commercial • •

Heavy Commercial •

Exterior •

** Not defined by ANSI Standards

* Not all sizes/trimms are available in all colors and finishes, scan QR code for product details.

COMMON SEGMENTS

Corporate Education Healthcare

Hospitality Restaurant

RECOMMENDED GROUT JOINT

Rectified 1/8"

Non-Rectified 3/16"





SPOTLIGHT | Gloss

FLOOR & WALL | EXTERIOR WALL | GLAZED PORCELAIN | CONCRETE LOOK



Snow | VTL SGSN



Sand | VTL SNSA



TAN | VTL SNTA



Sky | VTL SNSK



Mist | VTL SNMI



Smoke | VTL SNSM



Fog | VTL SNFO



Pebble | VTL SNPE




Twilight | VTL SNTW



Rain | VTL SNRA



Storm | VTL SNST



Caviar | VTL SNCA

SIZE	FINISH
6" x 24" x 8mm Glossy	Gloss
3" x 12" x 8mm Glossy	Gloss

MOSAICS & TRIM	FINISH
6" x 24" Bullnose Glossy	Gloss

TECHNICAL INFORMATION

	Made in USA
	Stock Ready Ship
	DCOF ≥0.42
	Burreau Veritas Greenguard LEED Green Squared

PERFORMANCE CHARACTERISTICS

Breaking Strength	≥400 lb/ft2
Chemical Resistance	Resistant
DCOF	≥0.42
Deep Scratch Resistance	N/A
Frost Resistance	Resistant
Mohs Hardness	N/A
Water Absorption	≤0.4%
Certifications	Burreau Veritas Greenguard LEED Green Squared

TILE APPLICATION

AREA	WALL	FLOOR
Residential	•	•
Commercial	•	•
Heavy Commercial	•	
Exterior	•	

** Not defined by ANSI Standards

* Not all sizes/trimms are available in all colors and finishes, scan QR code for product details.

COMMON SEGMENTS

Corporate	Education	Healthcare
Hospitality	Restaurant	

RECOMMENDED GROUT JOINT

Rectified	1/8"
Non-Rectified	3/16"




SPOTLIGHT | Aqua 3x12




STUDIO | Sky 2x6

STUDIO


WALL | GLAZED CERAMIC | SOLID LOOK




White | VTL SDWH



Seashell | VTL SDSE



Fog | VTL SDFO



French Gray | VTL SDFG




Mint | VTL SDMI



Dove Gray | VTL SDDG



Sky | VTL SDSK



Concrete | VTL SDCO



Anthracite | VTL SDAN

SIZE	FINISH
8" x 24" x 9mm	Gloss
8" x 16" x 8mm	Gloss
6" x 6" x 7mm	Gloss
4" x 16" x 8mm	Gloss Matte
4" x 12" x 8mm	Gloss
4" x 12" x 9mm Beveled	Gloss
3" x 6" x 7mm	Gloss Matte
3" x 6" x 7mm Beveled	Gloss
2" x 12" x 9mm	Gloss Matte

MOSAICS & TRIM	FINISH
2" x 8" Bullnose	Gloss Matte
2" x 6" Bullnose	Gloss Matte
1/3" x 12" Quarter Round	Gloss Matte

TECHNICAL INFORMATION



Made in Turkey



Stock | Ready Ship



V1 Uniform Appearance

PERFORMANCE CHARACTERISTICS

Breaking Strength	> 230 lbf
Chemical Resistance	Class B
DCOF	N/A
Deep Scratch Resistance	N/A
Frost Resistance	Not Resistant
Mohs Hardness	2
Water Absorption	10-18%
Certifications	N/A

TILE APPLICATION

AREA	WALL	FLOOR
Residential	•	
Commercial	•	
Heavy Commercial	•	
Exterior		
** Not defined by ANSI Standards		

* Not all sizes/trims are available in all colors and finishes, scan QR code for product details.

COMMON SEGMENTS

Corporate	Hospitality	Multi-Family
Restaurant	Retail	





























RECOMMENDED GROUT JOINT

Rectified	1/8"
Non-Rectified	3/16"



STUDIO | Mosaics

FLOOR & WALL | EXTERIOR WALL | GLAZED & UNGLAZED PORCELAIN | SOLID LOOK

								
White 2x6 Brick VTL SDWH BRICK26G/M	Seashell 2x6 Brick VTL SDSE BRICK26G/M	Fog 2x6 Brick VTL SDFO BRICK26G/M	French Gray 2x6 Brick VTL SDFG BRICK26G/M	Dove Gray 2x6 Brick VTL SDDG BRICK26G/M	Concrete 2x6 Brick VTL SDCO BRICK26G/M	Anthracite 2x6 Brick VTL SDAN BRICK26G/M	Sky 2x6 Brick VTL SDSK BRICK26G/M	Mint 2x6 Brick VTL SDMI BRICK26G/M
								
White Herringbone VTL SDWH HERRINGG/M	Seashell Herringbone VTL SDSE HERRINGG/M	Fog Herringbone VTL SDFO HERRINGG/M	French Gray Herringbone VTL SDFG HERRINGG/M	Dove Gray Herringbone VTL SDDG HERRINGG/M	Concrete Herringbone VTL SDCO HERRINGG/M	Anthracite Herringbone VTL SDAN HERRINGG/M	Sky Herringbone VTL SDSK HERRINGG/M	Mint Herringbone VTL SDMI HERRINGG/M
								
White 2" Hexagon VTL SDWH HEX2M	Seashell 2" Hexagon VTL SDSE HEX2M/UGL	Fog 2" Hexagon VTL SDFO HEX2M/UGL	French Gray 2" Hexagon VTL SDFG HEX2M/UGL	Dove Gray 2" Hexagon VTL SDDG HEX2M	Concrete 2" Hexagon VTL SDCO HEX2M	Anthracite 2" Hexagon VTL SDAN HEX2M/UGL	Sky 2" Hexagon VTL SDSK HEX2M	Mint 2" Hexagon VTL SDMI HEX2M
								
White Penny Round VTL SDWH PENNY34M	Seashell Penny Round VTL SDSE PENNY34M	Fog Penny Round VTL SDFO PENNY34M	French Gray Penny Round VTL SDFG PENNY34M	Dove Gray Penny Round VTL SDDG PENNY34M	Concrete Penny Round VTL SDCO PENNY34M	Anthracite Penny Round VTL SDAN PENNY34M	Sky Penny Round VTL SDSK PENNY34M	Mint Penny Round VTL SDMI PENNY34M
								
White 2x2 VTL SDWH MOS22M	Seashell 2x2 VTL SDSE MOS22M/UGL	Fog 2x2 VTL SDFO MOS22M/UGL	French Gray 2x2 VTL SDFG MOS22M/UGL	Dove Gray 2x2 VTL SDDG MOS22M	Concrete 2x2 VTL SDCO MOS22M	Anthracite 2x2 VTL SDAN MOS22M/UGL		
								
White 1" Hexagon VTL SDWH HEXAGON1M	Seashell 1" Hexagon VTL SDSE HEXAGON1M	Fog 1" Hexagon VTL SDFO HEXAGON1M	French Gray 1" Hexagon VTL SDFG HEXAGON1M	Dove Gray 1" Hexagon VTL SDDG HEXAGON1M	Concrete 1" Hexagon VTL SDCO HEXAGON1M	Anthracite 1" Hexagon VTL SDAN HEXAGON1M		



STUDIO | White Penny Round and Sky 4x12

SIZE	FINISH
2" x 6" Brick Mosaic	Gloss Matte
8" x 16" Herringbone Mosaic	Gloss Matte
2" x 2" Mosaic	Matte
2" x 2" Hexagon Mosaic	Matte
1" x 1" Hexagon Mosaic	Matte
Penny Round Mosaic	Gloss Matte

TECHNICAL INFORMATION

 Stock | Ready Ship

 V1 Uniform Appearance

 DCOF <0.42

PERFORMANCE CHARACTERISTICS

Breaking Strength	>275 lbf
Chemical Resistance	Class A
DCOF	<0.42
Deep Scratch Resistance	N/A
Frost Resistance	Resistant
Mohs Hardness	5
Water Absorption	<0.5%
Certifications	N/A

TILE APPLICATION

AREA	WALL	FLOOR
Residential	•	•
Commercial	•	
Heavy Commercial	•	
Exterior		
** Not defined by ANSI Standards		

COMMON SEGMENTS

Corporate	Hospitality	Multi-Family
Restaurant	Retail	

RECOMMENDED GROUT JOINT















Rectified	1/8"
Non-Rectified	3/16"

* Not all sizes/trims are available in all colors and finishes, scan QR code for product details.



STUDIO | Mosaics

FLOOR & WALL | EXTERIOR WALL | GLAZED PORCELAIN | SOLID LOOK

						
White Picket VTL SDWH PICKETG/M	Seashell Picket VTL SDSE PICKETG/M	Fog Picket VTL SDFO PICKETG/M	French Gray Picket VTL SDFG PICKETG/M	Dove Gray Picket VTL SDDG PICKETG/M	Concrete Picket VTL SDCO PICKETG/M	Anthracite Picket VTL SDAN PICKETG/M
						
White Arabesque VTL SDWH ARABESG	Seashell Arabesque VTL SDSE ARABESG	Fog Arabesque VTL SDFO ARABESG	French Gray Arabesque VTL SDFG ARABESG	Dove Gray Arabesque VTL SDDG ARABESG	Mint Arabesque VTL SDMI ARABESG	Sky Arabesque VTL SDSK ARABESG
						
White Scallop VTL SDWH SCALLOPG	Seashell Scallop VTL SDSE SCALLOPG	Fog Scallop VTL SDFO SCALLOPG	French Gray Scallop VTL SDFG SCALLOPG	Dove Gray Scallop VTL SDDG SCALLOPG	Mint Scallop VTL SDMI SCALLOPG	Sky Scallop VTL SDSK SCALLOPG
						
Dove Gray Basketweave VTL SDDG BASKDOTM	Mint Basketweave VTL SDMI BASKDOTM	Sky Basketweave VTL SDSK BASKDOTM	Concrete Basketweave VTL SDCO BASKDOTM	Anthracite Basketweave VTL SDAN BASKDOTM		
						
Dove Gray 1" Hex with Insert VTL SDDG HEX1DOTM	Mint 1" Hex with Insert VTL SDMI HEX1DOTM	Sky 1" Hex with Insert VTL SDSK HEX1DOTM	Concrete 1" Hex with Insert VTL SDCO HEX1DOTM	Anthracite 1" Hex with Insert VTL SDAN HEX1DOTM		



STUDIO | White Picket

SIZE	FINISH
2" x 5" Picket Mosaic	Gloss Matte
10" x 13" Beveled Arabesque Mosaic	Gloss
11" x 13" Scallop Mosaic	Gloss
1" x 1" Hexagon with Insert Mosaic	Matte
Basketweave Mosaic	Matte



TECHNICAL INFORMATION

-  Stock | Ready Ship
-  V1 Uniform Appearance
-  DCOF <0.42

PERFORMANCE CHARACTERISTICS

Breaking Strength	>275 lbf
Chemical Resistance	Class A
DCOF	<0.42
Deep Scratch Resistance	N/A
Frost Resistance	Resistant
Mohs Hardness	5
Water Absorption	<0.5%
Certifications	N/A

TILE APPLICATION

AREA	WALL	FLOOR
Residential	•	•
Commercial	•	
Heavy Commercial	•	
Exterior		
** Not defined by ANSI Standards		

* Not all sizes/trims are available in all colors and finishes, scan QR code for product details.

COMMON SEGMENTS

Corporate	Hospitality	Multi-Family
Restaurant	Retail	


RECOMMENDED GROUT JOINT

Rectified	1/8"
Non-Rectified	3/16"




STUDIO | Blends


FLOOR & WALL | EXTERIOR WALL | GLAZED PORCELAIN | SOLID LOOK




Mint Mix | Diamond Pattern
VTL SDMX DIAMONDM




Mint Mix | Hexagon Pattern
VTL SDMX HEXAGONM




Mint Mix | Chain Pattern
VTL SDMX CHAINM




Mint Mix | Cubic
VTL SDMX CUBICM




Mint Mix | Plaid Pattern
VTL SDMX PLAIDN




Light Gray Mix | Diamond Pattern
VTL SDGX DIAMONDM




Light Gray Mix | Hexagon Pattern
VTL SDGX HEXAGONM




Light Gray Mix | Chain Pattern
VTL SDGX CHAINM




Light Gray Mix | Cubic
VTL SDGX CUBICM




Light Gray Mix | Plaid Pattern
VTL SDGX PLAIDN




Light Sky Mix | Diamond Pattern
VTL SDSM DIAMONDM




Light Sky Mix | Hexagon Pattern
VTL SDSM HEXAGONM




Light Sky Mix | Chain Pattern
VTL SDSM CHAINM




Light Sky Mix | Cubic
VTL SDSM CUBICM




Light Sky Mix | Plaid Pattern
VTL SDSM PLAIDN




Dark Gray Mix | Diamond Pattern
VTL SDDM DIAMONDM




Dark Gray Mix | Hexagon Pattern
VTL SDDM HEXAGONM



Dark Gray Mix | Chain Pattern
VTL SDDM CHAINM




Dark Gray Mix | Cubic
VTL SDDM CUBICM




Dark Gray Mix | Plaid Pattern
VTL SDDM PLAIDN




Dark Sky Mix | Diamond Pattern
VTL SDDX DIAMONDM




Dark Sky Mix | Hexagon Pattern
VTL SDDX HEXAGONM



Dark Sky Mix | Chain Pattern
VTL SDDX CHAINM



Dark Sky Mix | Cubic
VTL SDDX CUBICM



Dark Sky Mix | Plaid Pattern
VTL SDDX PLAIDN



STUDIO | Light Sky Mix Chain Pattern

SIZE	FINISH
Plaid Pattern Mosaic	Gloss Matte
Chain Pattern Mosaic	Gloss Matte
Cubic Pattern Mosaic	Matte
Hexagon Pattern Mosaic	Matte
1" x 1" Hexagon Mosaic	Matte
Diamond Pattern Mosaic	Gloss Matte

COLOR BLENDS

Dark Gray Mix	White Dove Gray Anthracite
Dark Sky Mix	White Sky Anthracite
Light Gray Mix	White French Gray Concrete
Light Sky Mix	White Fog Sky
Mint Mix	White Seashell Mint

TECHNICAL INFORMATION

	Stock Ready Ship
	V1 Uniform Appearance
	DCOF <0.42

PERFORMANCE CHARACTERISTICS

Breaking Strength	>275 lbf
Chemical Resistance	Class A
DCOF	<0.42
Deep Scratch Resistance	N/A
Frost Resistance	Resistant
Mohs Hardness	6
Water Absorption	<0.5%
Certifications	N/A

TILE APPLICATION

AREA	WALL	FLOOR
Residential	•	•
Commercial	•	•
Heavy Commercial	•	
Exterior		
** Not defined by ANSI Standards		

COMMON SEGMENTS

Corporate	Hospitality	Multi-Family
Restaurant	Retail	

RECOMMENDED GROUT JOINT

Rectified	1/8"
Non-Rectified	3/16"

* Not all sizes/trims are available in all colors and finishes, scan QR code for product details.






TALLULAH | Snow 16x32 Whittle

TALLULAH

WALL | GLAZED CERAMIC | SOLID LOOK



Snow | VTL TASN 1632



Oyster Matte | VTL TAOY 1632M



Snow Whittle | VTL TASN WHITTLEM



Snow Coastline | VTL TASN COASTLINM



Oyster Coastline | VTL TAOY COASTLINM



Snow Facet | VTL TASN FACETM




Snow Weave | VTL TASN WEADEM



Snow Crystal | VTL TASN CRYSTALM



Snow Sash | VTL TASN SASHM



Snow Matte | VTL TASN 1222M



Snow Tide | VTL TASN TIDE1222M



Snow Trail | VTL TASN TRAILM

TECHNICAL INFORMATION

	Made in Italy
	Stock Import
	V1 Uniform Appearance
	LEED PEF

PERFORMANCE CHARACTERISTICS

Breaking Strength	≥600 N
Chemical Resistance	A
DCOF	N/A
Deep Scratch Resistance	N/A
Frost Resistance	N/A
Mohs Hardness	N/A
Water Absorption	10%<EV≤20%
Certifications	LEED PEF

TILE APPLICATION

AREA	WALL	FLOOR
Residential	•	
Commercial	•	
Heavy Commercial	•	
Exterior		
** Not defined by ANSI Standards		

* Not all sizes/trims are available in all colors and finishes, scan QR code for product details.

SIZE FINISH

16" x 32" x 8.5mm	Gloss Matte
16" x 32" x 10mm Coastline Deco	Matte
16" x 32" x 10mm Crystal Decorative	Matte
16" x 32" x 10mm Facet Decorative	Matte
16" x 32" x 10mm Sash Decorative	Matte
16" x 32" x 10mm Weave Decorative	Matte
16" x 32" x 10mm Whittle Decorative	Matte
12" x 22" x 9.5mm	Matte
12" x 22" x 9.5mm Tide Decorative	Matte
12" x 22" x 9.5mm Trail Decorative	Matte

MOSAICS & TRIM FINISH

3/8" x 8" Edge	Matte
----------------	-------

COMMON SEGMENTS

Healthcare	Education	Multi-Family
Residential	Senior Living	

RECOMMENDED GROUT JOINT

Rectified	1/8"
Non-Rectified	3/16"





THIS OR THAT | Green Hex and Ivory 6x6

THIS OR THAT

WALL | GLAZED CERAMIC | DIMENSIONAL



White | 4x5 Hexagon
VTL TTWH HEX44




White | 6x6
VTL TTWH 66



Ivory | 4x5 Hexagon
VTL TTIV HEX44




Ivory | 6x6
VTL TTIV 66




Green | 4x5 Hexagon
VTL TTGR HEX44




Green | 6x6
VTL TTGR 66



Red | 4x5 Hexagon
VTL TTRD HEX44



Red | 6x6
VTL TTRD 66



Blue | 4x5 Hexagon
VTL TTBL HEX44



Blue | 6x6
VTL TTBL 66

TECHNICAL INFORMATION



Made in USA



Ready Ship



V1 Uniform Appearance

PERFORMANCE CHARACTERISTICS

Breaking Strength	120-230lbs
Chemical Resistance	Resistant
DCOF	N/A
Deep Scratch Resistance	N/A
Frost Resistance	N/A
Mohs Hardness	N/A
Water Absorption	< 20%
Certifications	N/A

TILE APPLICATION

AREA	WALL	FLOOR
Residential	•	
Commercial	•	
Heavy Commercial	•	
Exterior		
** Not defined by ANSI Standards		

* Not all sizes/trims are available in all colors and finishes, scan QR code for product details.

SIZE

6" x 6" x 7.75mm
Five unique patterns that are pre-boxed in a random assortment.

FINISH

Matte

4" x 5" x 7.75 Hexagon

Four unique patterns that are pre-boxed in a random assortment.

FINISH

Matte

MOSAICS & TRIM

1" x 12" Jolly

FINISH

Matte

COMMON SEGMENTS

Corporate	Hospitality	Multi-Family
Residential	Restaurant	








RECOMMENDED GROUT JOINT
























Rectified	1/8"
Non-Rectified	3/16"



VIVID

WALL | GLAZED CERAMIC | SOLID LOOK

											
White VTL VIWH	Cream VTL VICR	Lace VTL VILC	Buff VTL VIBU	Ecru VTL VIEC	Oat VTL VIOA	Biscotti VTL VIBI	Daffodil VTL VIDA	Lemon VTL VILE	Clementine VTL VICL	Honey VTL VIHO	Orange VTL VIOR
											
Pewter VTL VIPW	Sand VTL VISA	Latte VTL VILT	Apricot VTL VIAP	Peach VTL VIPC	Caramel VTL VICA	Blush VTL VIBL	Rose VTL VIRO	Red VTL VIRE	Wine VTL VIWI	Plum VTL VIPL	Hickory VTL VIHI
											
Lagoon VTL VILG	Teal VTL VITL	Cyan VTL VICY	Ice VTL VIIC	Mint VTL VIMI	Spearmint VTL VISP	Tea VTL VITE	Lime VTL VILI	Acocado VTL VIAV	Olive VTL VIOL	Emerald VTL VIEM	Hunter VTL VIHU
											
Peacock VTL VIPE	Stream VTL VIST	Steel Blue VTL VISB	Dove VTL VIDO	Iris VTL VIIR	Storm VTL VISM	Lavender VTL VILA	Violet VTL VIVI	Navy VTL VINA	Midnight VTL VIMD	Black VTL VIBK	Seal VTL VISE

													
													
													
White VTL VIWH 44DECO		Ice VTL VIIC 44DECO		Dove VTL VIDO 44DECO		Steel Blue VTL VISB 44DECO		Olive VTL VIOL 44DECO		Honey VTL VIHO 44DECO		Black VTL VIBK 44DECO	



VIVID | Steel Blue 4x4 Decorative and Tea 4x4

SIZE	FINISH
6" x 6" x 9mm	Gloss
4" x 4" x 9mm	Gloss
4" x 4" x 9mm Decorative	Gloss
3" x 6" x 9mm	Gloss

MOSAICS & TRIM	FINISH
1" x 6" Surface Bullnose	Gloss
1" x 6" Concave & Convex Quarter Round	Gloss
1" x 6" Semi Round Bullnose	Gloss
1" x 4" Surface Bullnose	Gloss
1" x 4" Concave & Convex Quarter Round	Gloss
1" x 4" Semi Round Bullnose	Gloss
1"x 1" Concave & Convex Quarter Round	Gloss

TECHNICAL INFORMATION

-  Made in Portugal
-  Import
-  V2 Slight Variation

PERFORMANCE CHARACTERISTICS

Breaking Strength	≥ 13 N/mm2
Chemical Resistance	A-LA
DCOF	N/A
Deep Scratch Resistance	N/A
Frost Resistance	N/A
Mohs Hardness	N/A
Water Absorption	0.15
Certifications	N/A

TILE APPLICATION

AREA	WALL	FLOOR
Residential	•	
Commercial	•	
Heavy Commercial	•	
Exterior		
** Not defined by ANSI Standards		

COMMON SEGMENTS

Education	Hospitality	Multi=Family
Restaurant	Retail	

RECOMMENDED GROUT JOINT

Rectified	1/8"
Non-Rectified	3/16"

* Not all sizes/trimms are available in all colors and finishes, scan QR code for product details.





WATSON

FLOOR & WALL | EXTERIOR WALL | GLAZED COLOR-BODY PORCELAIN | LIMESTONE LOOK



Cream | VTL WTCR



Cream | 2x2
VTL WTCR MOS22



Beige | VTL WTBE



Beige | 2x2
VTL WTBE MOS22




Silver | VTL WTSI




Silver | 2x2
VTL WTSI MOS22




Bronze | VTL WTBZ



Bronze | 2x2
VTL WTBZ MOS22



Steel | VTL WTST



Steel | 2x2
VTL WTST MOS22

WATSON | Cream 24x48 | Steel 24x48 and 2x2 Mosaic

SIZE	FINISH
24" x 48" x 8mm Rectified	Matte
24" x 24" x 8mm Rectified	Matte
12" x 24" x 8mm Rectified	Matte
12" x 12" x 8mm Rectified	Matte

MOSAICS & TRIM	FINISH
2" x 2" Mosaic Rectified	Matte
3" x 12" Bullnose Rectified	Matte
6" x 12" Cove Base Rectified	Matte

TECHNICAL INFORMATION

	Made in USA
	Stock Ready Ship
	V2 Slight Variation
	DCOF ≥0.42
	Greenguard Bureau Veritas NSF EPD

PERFORMANCE CHARACTERISTICS

Breaking Strength	≥400 lb/ft ²
Chemical Resistance	Resistant
DCOF	≥0.42
Deep Scratch Resistance	N/A
Frost Resistance	Resistant
Mohs Hardness	≥ 7
Water Absorption	≤0.4%
Certifications	Greenguard Bureau Veritas NSF EPD

TILE APPLICATION

AREA	WALL	FLOOR
Residential	•	•
Commercial	•	•
Heavy Commercial	•	
Exterior	•	
** Not defined by ANSI Standards		

*Not all sizes/trims are available in all colors and finishes, scan QR code for product details.

COMMON SEGMENTS

Corporate	Education	Government
Healthcare	Senior Living	

RECOMMENDED GROUT JOINT

Rectified	1/8"
Non-Rectified	3/16"

